



Product Description:

Concrete Support Systems Euro Thread Standard Taper Tie can be used with any form system. These pass thru taper ties are machined from solid high strength steel rods. The threads of the taper tie are a standard full round Euro Thread and the end is machined into a square to permit the application of a wrench for product removal.

16 in x 15 mm Strong Taper Ties

Part Number: 107.015.0016

Physical Measurements

Thread Diameter	5/8 in / 15.00 mm
Taper length	16 in / 406 mm
Diameter	Max: 1 1/8 in Min: 59/64 in / Max: 28.79 mm Min: 23.50 mm
Overall Length	42 in / 1066.80 mm
Weight	11.8 lbs / 5.31 kg

Applications

Working Load	21.9 kips / 97.50 kn
Ultimate Load	43.8 kips / 195.0 kn



Physical Measurements

Thread Diameter	5/8 in / 15.00 mm
Taper length	24 in / 610 mm
Diameter	Max: 1 1/8 in Min: 59/64 in / Max: 28.79 mm Min: 23.50 mm
Overall Length	50 in / 1270.0 mm
Weight	13.5 lbs / 6.08 kg

Applications

Working Load	21.9 kips / 97.50 kn
Ultimate Load	43.8 kips / 195.0 kn



Physical Measurements

Thread Diameter	5/8 in / 15.00 mm
Taper length	32 in / 813 mm
Diameter	Max: 1 1/8 in Min: 59/64 in / Max: 28.79 mm Min: 23.50 mm
Overall Length	58 in / 1473.20 mm
Weight	15.2 lbs / 6.84 kg

Applications

Working Load	21.9 kips / 97.50 kn
Ultimate Load	43.8 kips / 195.0 kn



Physical Measurements

Thread Diameter	7/8 in / 20.00 mm
Taper length	16 in / 406 mm
Diameter	Max: 1 3/8 in Min: 1 11/64 in / Max: 35.13 mm Min: 29.84 mm
Overall Length	42 in / 1066.80 mm
Weight	4.65 lbs / 2.09 kg

Applications

Working Load	38.0 kips / 172.50 kn
Ultimate Load	76.0 kips / 345.00 kn



Physical Measurements

Thread Diameter	7/8 in / 20.00 mm
Taper length	24 in / 610 mm
Diameter	Max: 1 3/8 in Min: 1 11/64 in / Max: 35.13 mm Min: 29.84 mm
Overall Length	50 in / 1270.00 mm
Weight	5.81 lbs / 2.61 kg

Applications

Working Load	38 kips / 172.50 kn
Ultimate Load	76.0 kips / 345.0 kn



Physical Measurements

Thread Diameter	7/8 in / 20.00 mm
Taper length	32 in / 813 mm
Diameter	Max: 1 3/8 in Min: 1 11/64 in / Max: 35.13 mm Min: 29.84 mm
Overall Length	58 in / 1473.0 mm
Weight	7.0 lbs / 3.15 kg

Applications

Working Load	38.0 kips / 172.50 kn
Ultimate Load	76.0 kips / 345.00 kn

